

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	20	(data same (volume) same (meta\$7 or meta-data)) AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:53
L3	1	(method same request\$5 same packet\$4 same data same volume) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:53
L4	0	(method same request\$5 same packet\$4 same (data with volume)) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:52
L5	1	(method same (process\$4 with request\$5) same packet\$4 same (volume)) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:53
L6	4	(data same volume same extent same meta\$6) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:54
L7	1	(SCSI with target with mode with driver) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:52
L8	23	(data same (volume) same (meta\$7 or meta-data)) and (chimitt.in. or hunter.in. or neill.in. or nguyen.in. or phung.in. or srinivasan.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:53
L9	0	(data same (volume) same (meta\$7 or meta-data)) AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.) and (chimitt.in. or hunter.in. or neill.in. or nguyen.in. or phung.in. or srinivasan.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:53

L10	0	(method same request\$5 same packet\$4 same data same volume) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.) and (chimitt.in. or hunter.in. or neill.in. or nguyen.in. or phung.in. or srinivasan.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:53
L11	0	(method same (process\$4 with request\$5) same packet\$4 same (volume)) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.) and (chimitt.in. or hunter.in. or neill.in. or nguyen.in. or phung.in. or srinivasan.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:54
L12	0	(data same volume same extent same meta\$6) and @ad<"20031112" AND (710/1.CCLS. OR 710/31.CCLS. OR 710/33.CCLS. OR 710/5.CCLS. OR 711/100.CCLS.) and (chimitt.in. or hunter.in. or neill.in. or nguyen.in. or phung.in. or srinivasan.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:54
S1	0	(input and output) same (request with packet) same (data with volume) same (meta or meta-data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:24
S2	0	(input and output) same (request\$5 with packet) same (volume) same (meta or meta-data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:25
S3	0	(input and output) same (request\$5 with packet) same (volume) same (meta\$7 or meta-data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:25
S4	4532	(data same (volume) same (meta\$7 or meta-data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:53
S5	6	(data same volume same request\$5 same packet\$5 same (meta\$7 or meta-data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:26

S6	5	(data same volume same request\$5 same packet\$5 same (meta\$7 or meta-data)) and @ad<"20031116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:27
S7	5	(data same volume same request\$5 same packet\$5 same (meta\$7 or meta-data)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 13:26
S8	58	(method same request\$5 same packet\$4 same data same volume) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:52
S9	14	(method same request\$5 same packet\$4 same data same volume same (initial\$6 or direct\$4 or redirect\$4)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 15:37
S10	45	(method same request\$5 same packet\$4 same (data with volume)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:52
S11	6	(method same (process\$4 with request\$5) same packet\$4 same (data with volume)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 15:43
S12	15	(method same (process\$4 with request\$5) same packet\$4 same (volume)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:52
S13	1	(method same (rout\$4 with request\$5) same packet\$4 same (volume) same data) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 16:01
S14	1	(method same (i/o with request\$5) same packet\$4 same (volume) same data) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 16:39
S15	14	(data same volume same extent same meta) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:24

S16	114	(data same volume same extent same meta\$6) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:52
S19	21	(SCSI with target with mode with driver) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:52
S20	0	(SCSI with target with mode with driver with origin\$6) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:14
S21	1	(SCSI with target with mode with driver with request\$6) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:20